



DTS-RA320U

U-CLASS



WWW.DITHD.COM




SERIES

DTS-RA320U

When resolution is everything, we don't compromise. Our 17U Rack Mount 32" Portrait Monitor has 4k, UHD native resolution and up to 3000:1 Contrast Ratio. It can be run in HDR mode for even more Crisp images. It comes standard with PCAP touch, The Ultra Class sets the new standard in Monitor Systems. It was originally designed for the Air Force for there Telemetry System.

DITHD: THE INDUSTRY LEADER IN RUGGED DISPLAY SOLUTIONS



FEATURES

- A** LED Back Lit LCD With PCAP Touch
- B** Comes with VESA Mount Hole Pattern
- C** OSD Button Board
- D** Locking I/O Ports with Tie Down Anchor Hardware
- E** Integrated Cooling With Field Replaceable Filters and Fans
- F** Removable Rack Ears
- G** 17U Rack Space
- H** IR Remote

KEY FEATURES

- 4K Native Resolution
- Fits **INSIDE** a 19" Rack
- Rugged All-Aluminum Welded Construction
- Milled Front Face Design
- Removable Rack Ears
- VESA Mount Hole Pattern On Back
- Field Serviceable and Replaceable Low Noise Cooling Fan (only 15db)
- PCAP Touch

VIDEO CONTROLLERS

- **V36x Controller**
- Mid Level UHD Controller
- Max Resolution: 4096 x 2160
- Available Inputs: HDMI 2.0 x2, Display Port 1.2
- IR, OSD, and RS-232 Command and Control

***Other Controllers with advanced features Available Upon Request**

LCD OPTIONS (MAX RES)

320U UHD 3840 x 2160 (Max Res)

- 32" Ultra HD Back-lit LCD**
- Viewing Angles: 89L/89R/89U/89D
- Contrast Ratio: 3000:1
- Brightness: 400 Nits
- Response Time: 15/5 ms
- Surface Finish: PCAP Touch Glass
- Colors: 1.07B

OPTIONS

- Conformal Coated Electronics
- Optically Bonded Cover Glass

CONFIGURATIONS



SERIES DISPLAY
DTS-RA 320U
320U

CUSTOMER Project Number
. XXXXX . XX

► Custom Options Available On All DITHD Models

SPECIFICATIONS

- Dimensions: 19"x 29.75" x 3.75"
- Weight: 35 Lbs
- Power Consumption: ~100 Watts

Values are approximate and vary based on configuration





Detailed Mechanical drawings and 3D Solid Models are available upon request. Contact your sales representative for details.

