

RD2U-S24xx

S-CLASS



WWW.DITHD.




SERIES

RD2U-S24xx

The RD2U-S24xx is identical to our RDKB, keyboard drawers series, but combined with our PDD, pivot display drawer series. These two elements are built into a single chassis. It can expand to all of the keyboards available in our RDKB series as well as all monitor options in the PDD series. Additionally, the RD2U-S24 features Larger KVM's (keyboard, video, mouse switches) to expand the product line to just about any option that you would want in a single monitor.

DIT: THE INDUSTRY LEADER IN RACK MOUNT DISPLAY SOLUTIONS



FEATURES

- A** LED Back Lit LCD With Lens Enhancement
- B** Multiple Front Face and Handle Options
- C** Unit Locks Down in Stowed Position
- D** Multiple KVM Switch options
- E** Multiple Power Inlet Options
- F** Telescoping Transit Case Arms
- G** Grounding Stud
- H** Mil Spec Integrated Friction Slides
- I** Dual Cable Guide System
- J** Multiple Keyboard and Pointer Options

WHY CHOOSE THE

- Split design- independent LCD and keyboard drawer
- Customizable modular design
- Flexible keyboard and pointer options
- LED backlit LCDs
- Rugged all-aluminum construction
- Power mounting options

*Additional mounting options available

LCD OPTIONS (MAX RES)

- 19L** LED Backlit SXGA 1280 x 1024
- 19HB** High Bright SXGA 1280 x 1024
- 173W** LED Backlit FHD 1920 x 1080
- 173HB** High Bright FHD 1920x1080

Enhancement Options:

Anti-Reflective Lens
ITO Lens
Reststive Touch
Projected Capacitive Touch
Conformal Coating
CAC Reader

VIDEO CONTROLLERS

- **V23XM Controller**
Military Grade Conformal Coated Board, Max Resolution: 1920 x 1200
VGA, Audio, HDMI, DVI-D, YPbPr, Optional SDI
- **V25X Controller**
Embedded Controller, Max Resolution 1920 x 1200
VGA, DVI, Display Port, Audio
- **V33XM Controller**
Military Grade Parylene Conformal Coated Board, Max Resolution: 1920 x 1200
VGA, Audio, HDMI, Display Port

Additional Controller Options Available

FRONT FACES

A1: Cam Lock w/ pocket pull handle



D1: Double thumb screw w/ pocket pull handle



D7: Double thumb screw w/ 5" flush collapsible handle



KEYBOARDS



A: 83 Key 2-Button Trackball Keyboard (PS2/USB)



O: 88 Key 2-Button Touchpad Keyboard (PS2/USB)



V1: 103 Key Keyboard (PS2/USB) w/ Optical Mouse

Please contact sales rep for other keyboard options.

KVMs Switch Backs



G8N, KVM-DVI8 NIAP Back with V33x AD Controller



O2, KVM-HDMI16 and V33xM AD Controller

Please contact sales rep for other KVM Switch and AD Controller options.

SPECIFICATIONS

- Dimensions: 3.5" (2U) x 19"W x 24"D
- Weight: 40Lbs
- Power Consumption: 60 Watts

Values are approximate and vary based on configuration





SERIES	DISPLAY	KEY-BOARD	BACK/	CONTROLLER	FRONT
RD2U-S24	19L	Rn	E3u	V33xM	E8
	19HB, 173W, 173HB and more	A-Rn	A-X	V23xM, V25x, and more	A-E (Faces) 1-9 (Handles)

► Custom Options Available On All DIT Models



DIT: Display Integration Technologies | The Worlds Most Configureable Monitors
1357 Rocky Point Dr. Oceanside CA, 92056 | 760.599.9225 | www.DITHD.com





DIT: Display Integration Technologies | The Worlds Most Configurable Monitors
 1357 Rocky Point Dr. Oceanside CA, 92056 | 760.599.9225 | www.DITHD.com

